

# Package: measureR (via r-universe)

May 15, 2026

**Title** Tools for Educational and Psychological Measurement

**Version** 0.0.3

**Description** 'Provides an interactive toolkit for educational and psychological measurement implemented using the 'shiny' framework. The package supports content validity analysis, dimensionality assessment, and Classical Test Theory using the 'CTT' package (Willse, 2018) <doi:10.32614/CRAN.package.CTT>. Item Response Theory (IRT) analyses are conducted via 'mirt' (Chalmers, 2012) <doi:10.18637/jss.v048.i06>. Exploratory Factor Analysis is performed using 'psych' (Revelle, 2025), while Confirmatory Factor Analysis (CFA) and Structural Equation Modeling (SEM) are based on the 'lavaan' framework (Rosseel, 2012) <doi:10.18637/jss.v048.i02>. The CFA/SEM module features interactive model specification, automatic model comparison, modification indices, comprehensive fit diagnostics, path diagram visualization, and HTML report generation. The application allows users to upload data, evaluate statistical models, visualize results, and export outputs through an intuitive graphical interface without requiring programming experience.

**License** MIT + file LICENSE

**Depends** R (>= 4.0.0)

**Encoding** UTF-8

**Imports** colourpicker, CTT, data.table, dplyr, DT, flextable, ggplot2, haven, kableExtra, knitr, lavaan, magick, irr, mirt, officer, psych, purrr, readr, readxl, rlang, rmarkdown, scales, semPlot, semptools, shiny, shinyBS, shinycssloaders, shinyWidgets, stats, stringr, tibble, tidyr, tidyverse, viridisLite

**Suggests** pkgdown, testthat (>= 3.0.0)

**LazyData** false

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.3.3

**VignetteBuilder** knitr

**URL** <https://github.com/hdmeasure/measureR>

**BugReports** <https://github.com/hdmeasure/measureR/issues>

**Config/testthat/edition** 3

**Config/pak/sysreqs** libcairo2-dev cmake libfontconfig1-dev libfreetype6-dev libfribidi-dev libglpk-dev make libharfbuzz-dev libmagick++-dev gsfonts libicu-dev libjpeg-dev libpng-dev libtiff-dev libuv1-dev libwebp-dev libxml2-dev libssl-dev libx11-dev zlib1g-dev

**Repository** <https://hdmeasure.r-universe.dev>

**Date/Publication** 2026-05-15 08:15:23 UTC

**RemoteUrl** <https://github.com/hdmeasure/measureR>

**RemoteRef** HEAD

**RemoteSha** 93cf6d0934e77909f0a1439829685f7d45e943b0

## Contents

|                            |   |
|----------------------------|---|
| measureR-package . . . . . | 2 |
| run_measureR . . . . .     | 3 |

|              |          |
|--------------|----------|
| <b>Index</b> | <b>4</b> |
|--------------|----------|

---

|                  |  |
|------------------|--|
| measureR-package | <i>Educational and Psychological Measurement Toolkit</i> |
|------------------|--|

---

## Description

Provides an interactive Shiny-based environment for educational and psychological measurement, supporting content validity, dimensionality assessment, Classical Test Theory (CTT), Item Response Theory (IRT), Exploratory Factor Analysis (EFA), Confirmatory Factor Analysis (CFA), and Structural Equation Modeling (SEM). All analyses are conducted through an intuitive graphical user interface without requiring users to write code.

This file records package-level imports for roxygen2 so that NAMESPACE will include the appropriate import directives.

## Main Function

The primary entry point is `run_measureR`, which launches the full interactive application.

## Author(s)

**Maintainer:** Hasan Djidu <[hasandjidu@gmail.com](mailto:hasandjidu@gmail.com)> ([ORCID](#))

**See Also**

Useful links:

- <https://github.com/hdmeasure/measureR>
- Report bugs at <https://github.com/hdmeasure/measureR/issues>

Useful links:

- <https://github.com/hdmeasure/measureR>
- Report bugs at <https://github.com/hdmeasure/measureR/issues>

---

run\_measureR

*Launch the measureR Shiny Application*

---

**Description**

This function starts the Shiny app included in the measureR package.

**Usage**

```
run_measureR()
```

**Value**

Launches a Shiny application (no return value)

**Examples**

```
is.function(run_measureR)
```

# Index

`measureR-package`, [2](#)

`run_measureR`, [2](#), [3](#)